

**MAROOCHY SHIRE COUNCIL PLANNING SCHEME
POLICY NO. DC2
PROVISION OF BIKEWAYS AND BICYCLE FACILITIES**

DC 2.1 INTRODUCTION

- (1) Cycling -
- a) Maintains the health of the community;
 - b) Reduces reliance on private motor vehicle use;
 - c) Provides the community with alternative access to a diverse range of facilities;
 - d) Provides an alternative transport choice;
 - e) Contributes to the available recreational/tourism opportunities; and
 - f) Increases/improves accessibility to key destinations.
- (2) It is for these reasons that Council is committed to ensure that the bikeway network is a safe and convenient network for the different type of cyclists (ie recreational cyclists, tourist cyclists, commuter cyclists, school cyclists, and general cyclists), thus further encouraging bicycle use.
- (3) As part of the review of the Maroochy Shire Bikeways Plan, the following criteria was established to guide the development of the Trunk Bikeways Network -
- a) Provide a continuous cycle route running adjacent to the coast from Mooloolaba to Peregian Beach with access into the Sunshine Plaza (Coastal Route);
 - b) Link Montville to Mapleton Forest (Blackall Range Route);
 - c) Provide a circuit from Mooloolaba to Sunshine Coast University (University Circuit);
 - d) Capitalise on popularity of coastal precincts and Blackall Range to provide a unique recreation experience for residents and tourists;
 - e) Facilitate trips between local activity nodes/key centres on-route;
 - f) Link Shires' key urban centres to each other; and
 - g) Provide a continuous (ie complete) and connecting network linking –
 - i. All major activity centres;
 - ii. Educational facilities (University, TAFE's and schools);
 - iii. Major recreational focal points, in particular beaches, public swimming pools and skate parks;
 - iv. Major sport venues; and
 - v. Public libraries.
- (5) This Planning Scheme Policy is the mechanism to partially fund, via developer contributions, the construction of the Trunk Bikeways Network.
- (6) The scope of bikeways infrastructure for which funding is obtained via this planning scheme policy is limited to the trunk bikeways network.

NOTE DC 2.1A INTERNAL BIKEWAYS INFRASTRUCTURE

- 1) The 'internal' bikeways infrastructure (eg. dual use footpaths/bikeways or bicycle parking facilities) is the responsibility of the Developer and will be applied as a condition in any development approval.
- 2) Where 'internal' bikeways infrastructure is required (eg. on collector or trunk collector roads) it is to be provided generally in accordance with the guidelines outlined in Appendix 1.
- 3) Bicycle parking facilities (conveniently located and easy to find) are to be incorporated into development likely to attract or generate significant numbers of bicycle trips (eg. swimming pools, office buildings, community or educational facilities etc.) in accordance with schedule 4 to the Code for Parking (refer to Volume 4 of this Planning Scheme).
- 4) For the purpose of clarity it is recorded that the Council is not responsible for the construction or the cost of any part of internal bikeways/pathways or bicycle facilities
- 5) Infrastructure contributions payable by a Developer pursuant to this Planning Scheme Policy are additional to the 'internal' infrastructure that the Developer is required to provide as part of a development.
- 6) It is acknowledged that bikeways infrastructure may also be used by pedestrians.

- (7) The provisions in this planning scheme policy relate to the Infrastructure Contributions for the trunk bikeways network as follows -
- a) The existing bikeways infrastructure (see section DC 2.2);
 - b) The details of future bikeways infrastructure to be provided and funded by the contribution (see section DC 2.3);
 - c) The desired standard of service for bikeways infrastructure (see section DC 2.4);
 - d) The estimated establishment cost of future bikeways infrastructure (see section DC 2.5);
 - e) The estimated establishment cost of the bikeways infrastructure to be funded by the contribution (see section DC 2.6); and
 - f) Infrastructure contributions and calculations (see section DC 2.7 and Schedule DC2).

DC 2.2 EXISTING BIKEWAYS INFRASTRUCTURE

- (1) The existing bikeways infrastructure, to meet future demand, has generally been limited to new route signage, safety lighting, road/bikeway widening or upgrading the bikeway surface.

NOTE DC 2.2A

- 1) Further details in relation to existing bikeways infrastructure, in particular those bikeways that are to be upgraded to meet future demand, can be found in the "Maroochy Shire Bikeways Plan Review", January 2003.
- 2) Except for the future improvements to the existing bikeways network, the bikeways infrastructure contribution does not include a charge for the cost of the existing infrastructure.

DC 2.3 FUTURE TRUNK BIKEWAYS INFRASTRUCTURE

- (1) The future bikeways infrastructure to be provided for Shirewide, District or Local bikeways is shown on Figures 1-3 (refer Appendix 2).

NOTE DC 2.3A

- 1) Further details in relation to future bikeways infrastructure can be found in the 'Maroochy Shire Bikeways Plan Review', January 2003.

DC 2.4 DESIRED STANDARD OF SERVICE FOR BIKEWAYS TRUNK INFRASTRUCTURE

- (1) The desired standard of service for trunk bikeways infrastructure is detailed in the Maroochy Shire Bikeways Plan Review, the Austroads Guide to Traffic Engineering Practice, Part 14 – Bicycles, the Manual of Uniform Traffic Control Devices, Part 9 – Bicycle Facilities and for bikeways on State Controlled Roads the relevant Main Roads Department Road Design manuals.

NOTE DC 2.4A

- 1) It is acknowledged that in some cases, due to local circumstances, the desired standard of service may not be met.
- 2) In these situations, bikeways infrastructure aims to meet the standards to the greatest degree practicable.

- (2) If there are any inconsistencies between the standards outlined in the Maroochy Shire Bikeways Plan Review, the Austroads Guide to Traffic Engineering Practice – Part 14 – Bicycles and the Manual of Uniform Traffic Control Devices, Part 9 – Bicycle Facilities then the Maroochy Shire Bikeways Plan Review is to take precedence, unless on State Controlled Roads where the relevant Main Roads Department Road Design Manual is to be used.

- (3) For end of trip facilities, the desired standard of service is for the specified locations, as outlined in the Maroochy Shire Bikeways Plan Review (Explanatory Paper), March 2003.

DC 2.5 ESTIMATED COST OF BIKEWAYS TRUNK INFRASTRUCTURE

- (1) The estimated establishment costs for Shirewide, District and Local bikeways infrastructure is outlined in Table DC 2.5.

TABLE DC 2.5 BIKEWAYS TRUNK INFRASTRUCTURE COSTS (\$)

LEVEL OF WORKS	TOTAL
SHIREWIDE	\$7,059,137
DISTRICT	\$2,463,825
LOCAL	\$4,444,756
TOTAL	\$13,967,718

NOTE DC 2.5A

- 1) Further details in relation to the estimated establishment costs for each level of bikeways infrastructure for the various planning areas can be found in the 'Maroochy Shire Bikeways Plan Review', January 2003.

DC 2.6 PROPORTION OF BIKEWAYS TRUNK INFRASTRUCTURE ESTABLISHMENT COSTS TO BE FUNDED BY INFRASTRUCTURE CONTRIBUTIONS

- (1) The proportion of trunk bikeways infrastructure costs attributable to infrastructure contributions is outlined in Table DC 2.6.

TABLE DC2.6 PROPORTION OF BIKEWAYS ESTABLISHMENT COSTS SUBJECT TO INFRASTRUCTURE CONTRIBUTIONS (\$)

LEVEL OF WORKS	COSTS NOT SUBJECT TO INFRASTRUCTURE CONTRIBUTIONS	COSTS SUBJECT TO INFRASTRUCTURE CONTRIBUTIONS
SHIREWIDE	\$4,858,608	\$2,200,530
DISTRICT	\$1,595,730	\$868,094
LOCAL	\$2,579,040	\$1,865,716
TOTAL	\$9,033,378	\$4,934,340

DC2.7 INFRASTRUCTURE CONTRIBUTIONS AND CALCULATIONS

- (1) Those areas of the Shire and the type of development applications subject to bikeway infrastructure contributions together with the method of calculating the contribution is outlined in Schedule DC 2.

SCHEDULE DC 2: BIKEWAYS INFRASTRUCTURE CONTRIBUTIONS SCHEDULE

AREAS WHERE INFRASTRUCTURE CONTRIBUTIONS APPLY

- 1) For the purpose of determining infrastructure contributions towards Bikeways Infrastructure, bikeways have been categorised as Shirewide, District, Shared Local and Separate Local.
- 2) All areas of the Shire are subject to a Shirewide infrastructure contribution, which is that part of the Bikeways Infrastructure Contribution used to provide Shirewide bikeways and end of trip facilities.
- 3) Those areas of the Shire that are to be provided with District bikeways are to be subject to a District infrastructure contribution.
- 4) Those areas of the Shire that are to be provided with 'Shared Local' bikeways are to be subject to a Shared Local Planning Area infrastructure contribution ('Shared Local' bikeways includes those works where it can be reasonably assumed will be used by the population of one or more planning areas but the works are not of such significance to be classified as 'District' works).

- 5) Those areas of the Shire that are to be provided with 'Separate Local' bikeways are to be subject to a Separate Local Planning Area infrastructure contribution ('Separate Local' bikeways includes those works where it can be reasonably assumed will be used by the population of only one planning area but the works are not of such significance to be classified as 'Shared Local' works).
- 6) Those areas of the Shire subject to the various categories of bikeways infrastructure contributions (i.e. Shirewide, District or Local bikeways) are outlined in Table 1 and the boundaries of the Planning Areas and the various precinct classes within each Planning Area are shown on the Planning Area Maps found in Volume 3 of this Planning Scheme.

TABLE 1 AREAS SUBJECT TO BIKEWAYS INFRASTRUCTURE CONTRIBUTIONS

PLANNING AREA	INFRASTRUCTURE CATEGORY			
	SHIREWIDE	DISTRICT	SHARED LOCAL	SEPARATE LOCAL
ALEX HEADLAND/COTTON TREE (7)	✓	✓	✓	
BLACKALL RANGE (19)	✓			✓
BLI BLI (13)	✓	✓		✓
BUDERIM (6)	✓	✓	✓	✓
CENTRAL HINTERLAND (27)	✓			
COOLUM BEACH (11)	✓	✓		✓
EUDLO CREEK VALLEY (21)	✓			✓
EUMUNDI (17)	✓	✓		✓
KENILWORTH (18)	✓			
KULUIN/KUNDA PARK (8)	✓	✓	✓	
MAROOCHY RIVER PLAINS (23)	✓			
MAROOCHYDORE (1)	✓	✓	✓	
MOOLOOLABA (4)	✓	✓	✓	
MOUNTAIN CREEK (5)	✓	✓	✓	✓
MOUNTAIN CREEK VALLEY (20)	✓			
MT COOLUM (10)	✓	✓		
NAMBOUR (2)	✓	✓		✓
NORTH SHORE (9)	✓	✓		✓
NORTHERN COASTAL PLAINS (25)	✓			
PALMWOODS (14)	✓	✓		✓
PETRIE/PAYNTERS CREEK PLAINS (22)	✓			
SIPPY DOWNS (3)	✓	✓	✓	✓
SOUTH PEREGIAN (12)	✓	✓		
WOOMBYE (15)	✓	✓		✓
YANDINA (16)	✓	✓		✓
YANDINA CREEK VALLEY (24)	✓			

APPLICATION OF CONTRIBUTION

- 7) Subject to clause 7A), Bikeways Infrastructure Contributions apply to every development application that involves –

- (a) Reconfiguring a lot; or
- (b) A material change of use.

- 7A) The following uses are exempt from paying bikeways infrastructure contributions –

- (a) all uses defined within the 'Rural Uses', 'Community Uses' and 'Special Uses' categories as defined in the Planning Scheme;
- (b) uses defined as 'Car Park', 'Extractive Industry', 'Home-based business', 'Institutional Residence', 'Outdoor Recreation' or 'Residential Care facility';
- (c) a material change of use for a detached house; or
- (d) Non-Complying Self-Assessable Development as defined in Planning Scheme Policy DCA – Administration.

DETERMINATION OF BIKEWAYS INFRASTRUCTURE UNIT RATES

- 8) The Bikeways Infrastructure Unit Rates for the purposes of calculating Bikeways Infrastructure Contributions is to be determined for each planning area in respect of each category of bikeways infrastructure set out in Table 1.
- 9) The Bikeways Infrastructure Unit rate has been calculated as follows —

$$\text{Rate} = A + B + C$$
 Where
 - A is the Shirewide rate determined by the relevant Shirewide establishment costs ÷ population for the Shire;
 - B is the District rate determined by the relevant establishment costs for each applicable District ÷ population for each applicable District;
 - C is the Local rate (both shared and separate) determined by the relevant establishment costs for each applicable Planning Area ÷ population for each applicable Planning Area.
- 10) The bikeways infrastructure unit rates for the various planning areas, based on the calculation in paragraph (9), are contained in Table 3.

DETERMINATION AND CALCULATION OF BIKEWAYS INFRASTRUCTURE CONTRIBUTIONS

- 11) The bikeways infrastructure contribution for any proposed development is to be calculated as follows –

$$[(A - B) - C] \times D \times E$$
 Where
 - A (being proposed demand) is –
 - i. For reconfiguring a lot the bikeways demand factor for the Land or lots (excluding any Dedicated Lots) included in the development application based on the method creating the higher level of demand calculated using the rates outlined in Table 2 (a) and Table 2 (b).
 - ii. For a material change of use the bikeways demand factor for the use or Land included in the development application based on the method creating the higher level of demand calculated using the rates outlined in Table 2 (a) and Table 2 (b).
 - iii. For a material change of use where an existing building or existing work is proposed to be changed or extended or a new building or work is proposed to be erected on land occupied by an existing use the bikeways demand factor for the use included in the development application calculated using the rates outlined in Table 2 (b).
 - B (being existing use demand entitlements) is –
 - i. For vacant land, the bikeways demand factor allowed for a single detached house (1cu) or where previous infrastructure contributions have been paid to Council the demand on which the previous contributions were based¹.
 - ii. Otherwise, the existing use demand entitlement².
 - C Is any applicable infrastructure credit for the land (granted as a result of providing advanced funding for the construction of truck infrastructure or contributing trunk infrastructure) as outlined in the Register of Infrastructure Contributions and Credits.
 - D Is the applicable bikeways unit rate as outlined in Table 3 for the Planning Area in which the land is situated.
 - E Is the applicable Bikeways Infrastructure unit charge at the date of payment (refer to Section 3.5 Infrastructure Unit Charges in Planning Scheme Policy DCA - Administration for details of the bikeways unit charge currently in force).

NOTE 1 SCHEDULE DC 2

UNIT CHARGES

- 1) For convenience, the infrastructure unit charge for bikeways infrastructure is contained in the Local Government's Scale of Fees and Charges.

¹ The onus is upon the applicant to provide evidence of any previous infrastructure contributions paid to Council.

² Refer to Division 10 – Glossary of Terms in Planning Scheme Policy DCA – Administration for an explanation of the term "existing use demand entitlement".

NOTE 2 SCHEDULE DC 2

EXAMPLES


- (1) (a) It is proposed to reconfigure 3 hectares of land at Coolum Beach on the boundaries of Precincts 4 and 9 into:
 (A): 1 lot (8000m²) for future unspecified shops;
 (B): 1 lot (5000m²) for future house sites (unspecified number of lots) and
 (C): 19 residential lots on 1.7 hectares comprising 15 traditional house lots and 4 courtyard lots.
 (b) No previous bikeway contributions were paid nor is the land subject to infrastructure credits.
 (c) The bikeway infrastructure demand for the proposed development using the rates outlined in Table 2(a) and Table 2 (b) is as follows —

A	B	C
8000 m ²	5000 m ²	1.7 ha
As this proposed lot is a 'Management Lot' the bikeways demand factor is equivalent to a single detached house – refer Table 2(a) or Table 2(b)	As this proposed lot is a 'Management Lot' the bikeways demand factor is equivalent to a single detached house – refer Table 2(a) or Table 2(b)	As there is a 'residential lot' proposal for the land use both Table 2(a) and Table 2 (b) to determine the demand factor and choose whichever Table calculates the highest demand factor (i.e. cu)
The demand for a single detached house = 1 cu ✓	The demand for a single detached house = 1 cu ✓	10 cu/ha x 1.7 ha = 17 cu ✗ OR 15 trad. lots x 1 cu = 15 cu 4 c'yard lots x 1 cu = 4 cu = 19 cu ✓

- (d) The bikeway demand for the development (A) = 21 cu
 (e) As the land is not subject to infrastructure credits nor the subject of previous bikeways contributions the existing demand is that allowed for a single detached house (refer to 'B' in the calculation formula).
 (f) The demand for a single detached house is 1cu (refer to 'B' in the calculation formula).
 B = 1 cu
 (g) The increase in demand is A – B = 20 cu
 (h) The infrastructure contribution is —

$$\begin{aligned}
 &20 \times 52.08 && \text{(from Table 3 – Planning Area Coolum Beach)} \\
 &1,041.60 \times \$1.0762 && \text{(Infrastructure Unit Charge)} \\
 &= \$1,120.97
 \end{aligned}$$

- (2) (a) It is proposed to extend by 500m² an existing 1000m² shopping centre at Kuluin / Kunda Park
 (b) As this is an extension to an existing use infrastructure contributions only apply to the proposed extension.
 (c) No previous bikeway contributions were paid nor is the land subject to infrastructure credits.
 (d) The bikeway infrastructure demand for the proposed development using the rates outlined in Table 2(b) is as follows –



- (e) The bikeway demand for the development (A) = 26.7 cu
 (f) The existing bikeway infrastructure demand for the shopping centre is as follows –

$$\frac{1000\text{m}^2}{100\text{m}^2} \times 1.78 \text{ cu} \quad B = 17.8 \text{ cu}$$

- (g) The increase in infrastructure demand is A – B which equals 8.9 cu
 (h) The infrastructure contribution is-

$$\begin{aligned} & 8.9 \times 56.46 && \text{(from Table 3 - Planning Area Kuluin/Kunda Park)} \\ & 502.49 \times \$1.0762 && \text{(Infrastructure Unit Charge)} \\ & = \$540.78 \end{aligned}$$

- (3) (a) In this example assume the same parameters as outlined in example (2) except that previous contributions of \$200 were paid for the existing centre.
 (b) The bikeway demand for the development (A) = 26.7 cu (refer example 2).
 (c) The existing cu demand is to be equal to the cu on which the previous payment was determined. It was ascertained that the \$200 previous payment was determined using 20 cu. The 20 cu becomes the existing use demand factor.
 (d) The increase in infrastructure demand is A-B which equals 6.7 cu.
 (e) The infrastructure contribution is –

$$\begin{aligned} & 6.7 \times 56.46 && \text{(from Table 3 – Planning Area Kuluin/Kunda Park)} \\ & 378.28 \times \$1.0762 && \text{(Infrastructure Unit Charge)} \\ & = \$407.10 \end{aligned}$$

- (4) (a) It is proposed to demolish an existing fabrication industry workshop (2000m² GFA) to construct a 2500m² shopping centre at Kunda Park.
 (b) The land is 8000m² within the 'Local Centre' Precinct.
 (c) No previous bikeway contributions were paid nor is the land subject to infrastructure credits.
 (d) The bikeway infrastructure demand for the proposed development using the rates outlined in Table 2(a) and Table 2 (b) is as follows-

Use both Table 2(a) and Table 2 (b) to determine the demand factor and choose whichever Table calculates the highest demand factor (i.e. cu)

Using Table 2 (a), the demand is:

$$\frac{75 \text{ cu / ha} \times 8000\text{m}^2}{10000\text{m}^2}$$

$$= 60 \text{ cu} \quad \checkmark$$

OR

Using Table 2 (b), the demand for a 'Shopping Complex' is:

$$\frac{2500\text{m}^2}{100\text{m}^2} \times 1.78 \text{ cu}$$

$$= 44.5 \text{ cu} \quad \times$$

- (e) The bikeway demand for the development (A) = 60 cu.
 (f) The existing bikeway infrastructure demand for the fabrication industry ('General Industry') is as follows –

$$\frac{2000 \text{ m}^2}{100 \text{ m}^2} \times 1.78 \text{ cu} \quad B = 35.6 \text{ cu}$$

- (g) The increase in infrastructure demand is A – B which equals 24.4 cu.

- (h) The infrastructure contribution is –

$$24.4 \times 56.46 \quad (\text{from Table 3 – Planning Area Kuluin/Kunda Park})$$

$$1,377.62 \times \$1.0762 \quad (\text{Infrastructure Unit Charge})$$

$$= \$1,482.59$$

- (5) (a) It is proposed to demolish existing shops (2000m² GFA) and construct 120 two bedroom dwelling units and 1000m² shops at Maroochydore.
 (b) The land is 8000m² within the 'Multi-Storey Residential' Precinct.
 (c) No previous bikeway contributions were paid nor is the land subject to infrastructure credits
 (d) The bikeway infrastructure demand for the proposed development using the rates outlined in Table 2(a) and Table 2 (b) is as follows –

Use both Table 2(a) and Table 2 (b) to determine the demand factor and choose whichever Table calculates the highest demand factor (i.e. cu)

Using Table 2 (a), the demand is:

$$\frac{297.98 \text{ cu} \times 8000\text{m}^2}{10000 \text{ m}^2}$$

$$= 238.38 \text{ cu} \quad \times$$

OR

Using Table 2 (b), the demand for 'Multiple Dwelling Units' (2 bedroom/unit) and 'Shops' is:

$$120 \text{ units} \times 2.12\text{cu} / \text{du} = 254.4 \text{ cu}$$

$$\frac{1000 \text{ m}^2}{100 \text{ m}^2} \times 1.78\text{cu} = 17.8 \text{ cu}$$

$$= 272.2 \text{ cu} \quad \checkmark$$

- (e) The bikeway demand for the development (A) = 272.2 cu
 (f) The existing bikeway infrastructure demand for the shops is as follows –

$$\frac{2000\text{m}^2}{100\text{m}^2} \times 1.78 \text{ cu} \quad B = 35.6 \text{ cu}$$

- (g) The increase in infrastructure demand is A – B which equals 236.6.
 (h) The infrastructure contributions is –

$$236.6 \times 56.46 \quad (\text{from Table 3 – Planning Area Maroochydore})$$

$$13,358.44 \times \$1.0762 \quad (\text{Infrastructure Unit Charge})$$

$$= \$14,376.35$$

Notes:

- cu = chargeable unit
 du = dwelling unit
 GFA = Gross Floor Area
 ha = hectare

Bikeway Demand Factor Rates

- 12) The bikeway demand factor rates for the various precinct classes within each Planning Area outlined in Volume 3 of this Planning Scheme is shown in Table 2 (a).
- 13) The bikeway demand factor rates for the various uses outlined in section 3.3 (Use Definitions) Volume 1 of this Planning Scheme are shown in Table 2 (b).
- 14) Where calculating the proposed demand requires the use of both Table 2 (a) and Table 2 (b) for determining the bikeway demand factor rate, the table that calculates the highest demand factor rate is to be used as the bikeway demand factor.

Table 2 (a): Bikeways Demand Factor Rates for General or Specific Precincts

Precinct	No	Planning Area	Bikeways Demand Factor*
Business and Industry		All Precincts	27cu/ha
Core Industry		All Precincts	18cu/ha
General Rural Lands		All Precincts	N/A
Hillslope Residential		All Precincts	3.75cu/ha
Local Centre		All Precincts	75cu/ha
Master Planned Community	9	Maroochydore	34cu/ha
	10	Maroochydore	34cu/ha
	11	Maroochydore	34cu/ha
	15	Maroochydore	28cu/ha
	28	Nambour	11cu/ha
	4	Sippy Downs	12.5cu/ha
	5	Sippy Downs	12.5cu/ha
	8	Sippy Downs	12.5cu/ha
	11	Sippy Downs	12.5cu/ha
	16	North Shore	59cu/ha
	8	Mt. Coolum	31cu/ha
	9	Mt. Coolum	11cu/ha
			All other precincts
Mixed Housing	13	Maroochydore	74.76cu/ha
	17	Maroochydore	67.64cu/ha
	20	Maroochydore	67.64cu/ha
	23	Maroochydore	60.52cu/ha
	25	Maroochydore	74.76cu/ha
	27	Maroochydore	67.64cu/ha
	3	Nambour	44.50cu/ha
	4	Nambour	44.50cu/ha
	7	Mooloolaba	74.76cu/ha
	8	Mooloolaba	74.76cu/ha
	13	Mooloolaba	78.32cu/ha
	2	Buderim	48.06cu/ha
	5	Alexandra Headland/ Cotton Tree	67.64cu/ha
	8	Alexandra Headland/ Cotton Tree	78.32cu/ha
	10	Alexandra Headland/ Cotton Tree	67.64cu/ha
	11	Alexandra Headland/ Cotton Tree	74.76cu/ha
	4	Kuluin/Kunda Park	39.16cu/ha
	13	North Shore	39.16cu/ha
	2	Mt. Coolum	78.32cu/ha
	3	Coolum Beach	112.14cu/ha

Precinct	No	Planning Area	Bikeways Demand Factor*
		All other precincts	53.4cu/ha
Multi-storey Residential		All Precincts	297.98cu/ha
Neighbourhood Residential		All Precincts	10cu/ha
Special Purpose		All Precincts	To determine demand factor rates, use the precinct or precincts from this table that most closely align with the proposed development
Sustainable Cane Lands		All Precincts	N/A
Sustainable Horticultural Lands		All Precincts	N/A
Sustainable Pastoral Lands		All Precincts	N/A
Sustainable Rural Residential		All Precincts	0.30cu/ha
Town Centre Core		All Maroochydhore Precincts	468cu/ha
		Nambour	274.5cu/ha
		Sippy Downs	274.5cu/ha
		Mooloolaba	468cu/ha
Town Centre Frame		All Maroochydhore and Mooloolaba Precincts	162cu/ha
		Nambour	162cu/ha
		Sippy Downs	162cu/ha
Village Centre		All Precincts	162cu/ha
Water Resource Catchment Area		All Precincts	N/A

* For a 'Management Lot' the Bikeway Demand Factor is 1.00cu/Lot.

Notes:

cu = chargeable unit
ha = hectare

Table 2(b): Bikeways Demand Factor Rates For Defined Uses

Defined Uses and Use Classes	Assessment Unit	Bikeways cu/Unit*
RESIDENTIAL USES		
Accommodation Building	Bed	1.65
Bed and Breakfast	Lettable Room	1.65
Caravan Park	Caravan Site	0.55
	Relocatable home site	0.55
Caretakers Residence	1 bedroom	0.58
	2 bedroom	0.75
	3 or more bedrooms	0.92
Detached House	Lot	1.00
Display Home	As per detached house or dual occupancy or multiple dwelling units, depending on nature of development	
Dual Occupancy	1 bedroom	1.03
	2 bedroom	1.34
	3 or more bedrooms	1.64
Home-Based Business	Lot	Exempt
Institutional Residence	Bed	Exempt
Integrated Tourist Facility	Bed	1.65
	For permanent residential accommodation as per detached house or dual occupancy or multiple dwelling units, depending on nature of development.	
Motel (includes hotel accommodation)	Per unit	1.65
Multiple Dwelling Units	1 bedroom	1.65
	2 bedroom	2.12
	3 or more bedrooms	2.73
Residential Care facility	Per self contained dwg	Exempt
	Per hostel unit	Exempt
	Per nursing care bed	Exempt
Retirement Village	1 bedroom	0.52
	2 bedroom	0.67
	3 or more bedrooms	0.86

Defined Uses and Use Classes		Assessment Unit	Bikeways cu/Unit*
RURAL USES			
Agriculture, Animal Keeping, Animal Husbandry, Aquaculture, Forestry, Intensive Animal Husbandry, Roadside stall, Stables			Exempt
Rural Service Industry			Exempt
Winery			Exempt
COMMERCIAL USES			
Adult Product Shop		Per 100m ² (GFA)	1.78
Art & Craft Centre		Per 100m ² (GFA)	1.78
Convenience Restaurant		Per 100m ² (GFA)	1.78
Fast Food Store		Per 100m ² (GFA)	1.78
Funeral Parlour		Per 100m ² (GFA)	1.78
Garden Centre		Per 100m ² (GFA)	1.78
Hotel		Per 100m ² (GFA)	1.78
Market			As determined by Council
Medical Centre		Per 100m ² (GFA)	1.78
Office		Per 100m ² (GFA)	1.78
Restaurant		Per 100m ² (GFA)	1.78
Shop (including General Store)		Per 100m ² (GFA)	1.78
Shopping Complex		Per 100m ² (GFA)	1.78
Showroom		Per 100m ² (GFA)	1.78
Veterinary Clinic		Per 100m ² (GFA)	1.78
INDUSTRIAL USES			
Car Washing Station		Per wash bay	0.50
Environmentally Assessable Industry		Per 100m ² (GFA)	0.50
Extractive Industry			Exempt
General Industry		Per 100m ² (GFA)	0.50
Landscape Supplies			As determined by Council
Light Industry	Laundromat	Per 100m ² (GFA)	0.50
	Hot bread kitchen/retail bakery	Per 100m ² (GFA)	0.50
	All other uses	Per 100m ² (GFA)	0.50
Sales or Hire Yard			As determined by Council
Service Station		Per lot	0.50
Storage Yard			As determined by Council
Transport Station			As determined by Council
Vehicle Depot			As determined by Council
Vehicle Repair workshop		Per 100m ² (GFA)	0.50
Warehouse		Per 100m ² (GFA)	0.50
OTHER USES			
COMMUNITY USE	Child Care Centre	Staff/pupil	Exempt
	Local Utility		Exempt
	Major Utility		Exempt
	Telecommunications Facility		Exempt
SPECIAL USE	Cemetery		Exempt
	Church	Per 100m ² (GFA)	Exempt
	Community Meeting Hall	Per 100m ² (GFA)	Exempt
	Crematorium	Per 100m ² (GFA)	Exempt
	Educational Establishment	Per enrolment	Exempt
	Emergency Services		Exempt
	Hospital	Bed	Exempt

Defined Uses and Use Classes			Assessment Unit	Bikeways cu/Unit*
RECREAT- IONAL USES	INDOOR RECREATION	Amusement Centres	per 100m ² (GFA)	1.78
		Gyms	per 100m ² (GFA)	1.78
		Indoor Sports Centre	per 100m ² (GFA)	1.78
		Licensed Club	per 100m ² (GFA)	1.78
		Unlicensed Club	per 100m ² (GFA)	1.78
		Night Club	per 100m ² (GFA)	1.78
		Theatre / Cinema	per 100m ² (GFA)	1.78
		All other uses	As determined by Council	
		OUTDOOR RECREATION		Exempt
OTHER USES	CAR PARK		Exempt	

* For a 'Management Lot' the Bikeways cu/Unit is 1.00cu/Lot.

Schedule of Infrastructure Unit Rates

- 15) The Bikeway infrastructure unit rates for the Planning Areas or precincts outlined in Volume 3 of this Planning Scheme are shown in Table 3.

Table 3: Bikeway Infrastructure Unit Rates

PA No.	Planning Area	Total	Shirewide	District	Shared Local	Separate Local
7	Alex Heads/Cotton Tree	64.45	42.04	13.62	8.79	0.00
19	Blackall Range	49.31	42.04	0.00	0.00	7.28
13	Bli Bli	104.63	42.04	14.92	0.00	47.68
6	Buderim	78.32	42.04	13.62	21.74	0.92
27	Central Hinterland	42.04	42.04	0.00	0.00	0.00
11	Coolum Beach	52.08	42.04	7.67	0.00	2.38
21	Eudlo Creek Valley	104.62	42.04	0.00	0.00	62.58
17	Eumundi	84.33	42.04	24.74	0.00	17.55
18	Kenilworth	42.04	42.04	0.00	0.00	0.00
8	Kuluin/Kunda Park	56.46	42.04	13.62	0.80	0.00
23	Maroochy River Plains	42.04	42.04	0.00	0.00	0.00
1	Maroochydore	56.46	42.04	13.62	0.80	0.00
30	Mary River Valley	0.00	0.00	0.00	0.00	0.00
4	Mooloolaba	64.45	42.04	13.62	8.79	0.00
5	Mountain Creek	187.95	42.04	13.62	22.41	109.88
20	Mountain Creek Valley	42.04	42.04	0.00	0.00	0.00
10	Mt Coolum	49.71	42.04	7.67	0.00	0.00
2	Nambour	161.43	42.04	24.74	0.00	94.66
9	North Shore	60.32	42.04	14.92	0.00	3.37
25	Northern Coastal Plains	42.04	42.04	0.00	0.00	0.00
26	Northern Hinterland	0.00	0.00	0.00	0.00	0.00
29	Obi Obi Creek Valley	0.00	0.00	0.00	0.00	0.00
14	Palmwoods	112.28	42.04	24.74	0.00	45.50
22	Petrie/Paynters Creek Plains	42.04	42.04	0.00	0.00	0.00
3	Sippy Downs	76.58	42.04	13.62	0.67	20.25

PA No.	Planning Area	Total	Shirewide	District	Shared Local	Separate Local
12	South Peregian	49.71	42.04	7.67	0.00	0.00
28	Southern Hinterland	0.00	0.00	0.00	0.00	0.00
15	Woombye	225.18	42.04	24.74	155.21	3.19
16	Yandina	90.32	42.04	24.74	0.00	23.54
24	Yandina Creek Valley	42.04	42.04	0.00	0.00	0.00

APPENDIX 1

GUIDELINES FOR INTERNAL BIKEWAYS INFRASTRUCTURE

1.0 General

- Safe, convenient and legible bikeways are to be provided and should comprise on-road and off-road bikeways responding to:
 - Expected vehicular traffic volumes and composition;
 - Linkages between destinations such as schools, local parks and other community facilities; and
 - Safety, security and convenience for users.
- Establish the bikeways, ensuring:
 - Good local connectivity – being able to access as many places as possible by bicycle;
 - Permeability – being able to move between streets, along shared paths and laneways;
 - Legibility – being able to easily ‘read’ the bikeways and know where you are going.
- Provide multiple opportunities for pleasant, safe and relatively direct cyclist movement through the subdivision and to the Trunk Bikeway Network.
- Ensure that safety and security are considered in the layout of the bikeways (eg. Lighting of bikeways through parkland, line marking and signage on on-road bikeways).

2.0 Connectivity of the Network

- Establish connections into and out of the site, linking the internal bikeways to adjoining internal bikeways and the Trunk Bikeways Network.
- Ensure provision for future bikeway connection with adjoining land parcels.
- Provide as many cycle linkages as possible and ensure any road linkages have strong bikeway components.
- Ensure that the most direct bikeway connections to local business and community centres are provided.
- Culs-de-sac should be located in through-street reservations, providing through access for cyclists (and pedestrians).
- Directional signage should be provided to ensure bikeway route legibility.

3.0 Integration of Bikeways into the Street Network / On-Road Bikeways

- Ensure the street network is designed to accommodate cyclists.
- Traffic signal control, rather than roundabouts is encouraged on major roads to improve the safety of cyclist crossing opportunities.
- Where appropriate, ensure that on-road cycle lanes are marked on all sub-arterial, trunk collector and collector roads.
- The needs of cyclists is to be provided for in the design and construction of infrastructure works such as bridges/culverts, traffic management devices, stormwater drainage infrastructure, streetscape improvements or the like.

4.0 Off-Road Bikeways

- Establish recreational shared paths through open space / parkland that link with the internal bikeways and Trunk Bikeway Network.
- On busy streets close to schools, shared off-road bikeways (cyclist/pedestrian) are to be provided.

APPENDIX 2: DC2 FIGURES 1-3 BIKEWAYS INFRASTRUCTURE NETWORK