




**Sunshine Coast Regional Council** 

OM Late Agenda Page 81 of 91







NOTES:		
1.	TO THE FRONT OF THE LO	Y LOTS MUST INCORPORATE A FAÇADE T WHICH REFLECTS THE APPEARANCE GENERALLY IN ACCORDANCE WITH THIS
	'INDICATIVE PLAN'.	
2.		ANCY MUST PROVIDE 2 CARPARKS PER
	5.5m LONG) FULLY ACCOM	
3.	A DOUBLE GARAGE WITH 2	WRAGE MUST HAVE THE APPEARANCE OF DOORS. EACH UNIT MUST BE CLEARLY
	NUMBERED (ie. 6A, 6B) FO	
4.	TYPE 'B' DUAL OCCUPANCY LOTS MUST NOT BE LOCATED DIRECTLY BESIDE EACH OTHER OR DIRECTLY ACROSS THE ROAD	
	FROM EACH OTHER.	HER OR DIRECTLY ACROSS THE ROAD
		Check all dimensions before commencement of work. Check Site boundary dimensions from the Title plans Check Building Boundary clearances by set out. Notwhitstanding the information supplied on this drawing, the location, depth and extent of underground or overhe services are to be confirmed and protected on site by contractor prior to commencement of works.
BLI BLI BLI		Project : 04453 Sheet No. D01
		Digital Ref : DUPLEX SKETCH ELEWATONS Issue : B
		This Document is copyright and shall not be copie without written approval, nor shall it be used excep for the Development and the Site Specified.